#### **QUALITY ASSURANCE PROVISIONS**

NSN: 1650 00-488-1181 P/N: (78286) 65652-11202-041

NOMEN: Housing Assembly Tandem Servo Main Rotor.

Articles to be furnished hereunder shall be manufactured, tested and inspected in accordance with drawing number (78286) 65652-11202-041 Rev. "V", or latest revision and all details and specifications referenced therein.

## I. Quality/Inspection Requirements

- A. MIL-I-45208 or ISO 9000 equivelent applies:
- B. First Article Testing applies:
- C. Mandatory Inspection applies:
- D. Production Lot Testing Applies

## II. Supplemental Requirements

- A. Additionally, para. 3.1-3.5, 5.1-5.2, 6.1-6.2 of MIL-Q-9858 or Iso 9000 equivelent apply.
- B. The contractor shall identify on the process/operation sheets all manufacturing sources performing processes/operations outside of their facilities. These sheets shall not be revised or altered after the successful completion of First Articleand/or Production Lot Testing without approval from the Engineering Support Activity (ESA), via the PCO.
- C. The Inspection Method Sheets which list the characteristics of each item produced under the contract shall have serial number traceability to the raw material, casting, or forging. In addition, the contractor is responsible for providing completed inspection method sheets showing the actual dimensions taken
- D. Markings should be in accordance with MIL-STD-130 Rev. "J" paragraph 5.3.3(a), (b),(c), and (g). Method and location shall be in accordance with the drawing.

## III. Mandatory Inspection Requirements

During production, mandatory inspection is required to be accomplished by the contractor, as follows:

## A. Level of Inspection (LOI):

- 1) Critical Characteristics: 100% inspection shall apply.
- 2) Major and Minor Characteristics LOI shall be in accordance with a sampling plan acceptable to the QAR.
- B. Critical Characteristics:

#### DRAWING 65652-11202 REV. "V"

#### 1) **Zone B**7

This dia. 2.4930/2.4935 is to be maintained concentric to datum -J- within .001 T.I.R.

#### 2) **Zone B6**

This dia. 1.906/1.908 is to be maintained concentric to datum -J- within .001 T.I.R.

## 3) Zone B9

.This dia. 3.2470/3.2475 is to be maintained concentric to datum -J- within .001 T.I.R. and have a surface texture of 16 microinch.

#### 4) Zone H8

This surface is to be maintained perpendicular to gatum -G- within .002

#### 5) **Zone G8**

This surface is to be maintained perpendicular to datum -J- wthin .002

#### 6) **Zone B10**

Datum -J- 2.751/2.752 dia. (before plating) 2.745/2.747 dia. (after plating and final machining) and have a surface texture of 16 microinch.

7) All threads specified to class 3 or greater

#### C. Major and Minor Characteristics:

- 1) Shall be defined by the contractor subject to QAR concurrence, unless defined on applicable drawings and associated specifications.
- IV. Unless expressly provided for elsewhere in this Clause, equipment such as fixtures, jigs, dies, patterns, templates, mylars, special tooling, test equipment, or any other manufacturing aid required for the manufacture and/or testing of the subject items will not be provided by the Government or any other source and is the sole responsibility of the Government or any other source and is the sole responsibility of the contractor. The foregoing applies notwithstanding any reference to such equipment or the furnishing thereof that may be contained in any drawing.

## I-961 FIRST ARTICLE TESTS REQUIRED (Government Testing)

## I. First Article Inspection/Test Criteria:

The tests to be performed under the First Article approval clause of the contract are:

- A. Dimensional Check 100 % of finished part
- B. Form / Fit
- C. Compliance with drawing, (78286) 65652-11202-041 Rev. "V", and specifications referenced therein.
- D. Review documentation as provided under DD 1423 requirements.

In addition to the above tests, the First Articles to be delivered hereunder shall also be subjected to those tests which will demonstrate that the articles comply with contract requirements. The contractor shall be responsible for providing necessary parts and repair of the First Article (s) during testing.

The contractor shall be responsible for providing necessary parts and repair of the First Article Sample (s) during testing.

## II. Special Instructions:

Sample (s) may be considered as production items under the contract provided the sample(s) can be refurbished to ready for issue (RFI) condition and provided the sample(s) have inspection approval of the cognizant QAR. Sample(s) may be shipped as production items only after all other units required under the contract have been produced and are ready for shipment.

#### Notification of Shipment of Material For Governm, ent Testing:

A. Fourteen (14) days prior to shipment of First Article Sample (s) the contractor shall notify the designated test facility, in writing of the antisipapated shipping date, with an information copy to the PCO, ACO, and QAR The contractor shall also arrange for preliminary inspection of test samples by the CAO/QAR.

B. Upon shipment of First Article Samples, two (2) copies of the Material Inspection and Recieving report (DD form 250), bearing the QAR's signiture and indication of preliminary inspection, shall be fowarded to the PCO / ACO and the designated test facility. The envelopes shall be clearly marked, "DO NOT OPEN IN MAILROOM".

#### I-964 FIRST ARTICLE APPROVAL (GOVERNMENT TESTING)

A. The contractor shall deliver two (2) units of lot / item 001 within 180 calander days from the date of this contract to the government designated facility listed below.

NAVANDEPOT CHERRY POINT Attn: Betty Lupton, code 6.3.674 PSC Box 8021 MCAS Cherry Point, NC 28533

Marking of test sample (s) shipping container:

# "FOR FIRST ARTICLE TESTING. NOT FOR RFI, DO NOT TAKE UP IN STOCK". CONTRACT NUMBER:

For First Article Test, the shipping documentation shall contain this contract number and the lot/item indentification. The characteristics that the First Article must meet and the testing requirements that are specified elesewhere in this contract.

B. If the First Article is disapproved, the contractor, upon Government request, shall submit an additional First Article for testing. After each request, the contractor shall make any necessary changes, modification, or repairs to the First Article or select another First Article for testing. All costs related to these tests are to be borne by the contractor, including any and all costs for additional tests following a disapproval. The contractor shall furnish any additional First Article to the Government under the terms and conditions and within the time specified by the Government.

The government shall act of this First Article within the time limit specified in paragraph" **B**" above. The government reserves the right to require an equitable adjustment of the contract price for any extension of the delivery schedule or for any additional costs to the Government related to these tests.

- C. If the contractor fails to deliver any First Article on time, or the contracting officer disapproves any First Article, the contractor shall be deemed to have failed to make delivery within the meaning of the default clause of this contract.
- D. Unless otherwise provided in the contract, and if the approved First Article is not consumed or destroyed in testing, the contractor-
- 1) May deliver the approved First Article as part of the contract quantity if it meets all contract requirements for acceptance.
- 2) Shall remove and dispose of any First Article from the government test facility at the contractors expense.
- E If the Government does not act within the time specified in paragraph **B** or **C** above, the contracting officer shall, upon timely written request from the contractor, equitably adjust under the changes clause of this contract the delivery or performance dates and/or the contract price, and any other contractual term affected by the delay.

- G. Before First Article approval, the acquisition of materials or components for, or the commencement of production of, the balance of the contract quantity is at the sole risk of the contractor. Before First Article approval, the costs thereof shall not be allocable to this contract for 1) progress payments, or 2) termination settlements if the contract is terminated for the convenience of the Government.
- H. The contractor shall produce both the First Article and the production quantity at the same facility and shall submit a certification to this effect with each First Article.
- I. The contractor shall provide specific written notification to the procuring contractor officer informing him/her of the shipment of any articles furnished in accordance with this clause. Such notification must be addressed to the attention of the ACO with copies to NAVICP 072 and to the testing activity. Failure to provide such notification shall excuse the government from any delay in performing First Article Testing and informing the contractor of the sesults thereof.

#### C-330 PRODUCTION LOT TESTING REQUIREMENTS

The material produced under contract shall be accepted by the cognizant CAO/QAR upon the successful completion of these requirements.

## I. Production Lot Test Requirements

- A. The cognizant CAO/QAR shall select two (2) item (s) at random from the production lot. In addition the QAR shall select one (1) item (s) at random from each successive lot or portion thereof.
  - B. Production Lot Testing to be completed during production after First Article Approval.
  - C. Sample (s) are to be unpainted. Corrosive areas to be coated with a light preservative.
- II. The tests to be performed under the Production Lot Sample testing provisions of the contract are:
- A. Compliance with drawing (78286) 65652-11202-041 rev. "V" or latest revision and all specification referenced therein.
  - B. Dimensional Check

In addition to the above tests, the Production Lot Sample(s) to be delivered hereunder shall also be subjected to those tests which will demonstrate that the sample(s) comply with contract requirements.

#### III. Testing location

A. Ship sample(s)/data to:

NAVANDEPOT CHERRY POINT Attn: Betty Lupton, code 6.3.674 PSC Box 8021 MCAS Cherry Point, NC 28533

B. Shipping container marking: NON RFI

Within fifteen (15) days of completion of Production Lot Testing the CAO/QAR shall prepare and submit two (2) copies of their test report with conclusions and recommendations to the Contracting Officer.

## **Shipment and Distribution of Sample(s):**

A. Fourteen (14) days prior to shipment of Production Lot Sample (s) the contractor shall notify the designated test facility, in writing of the antisipapated shipping date, with an information

copy to the PCO, ACO, and QAR The contractor shall also arrange for preliminary inspection of test samples by the CAO/QAR.

- B. Upon shipment of Production Lot Samples, two (2) copies of the Material Inspection and Recieving report (DD form 250), bearing the QAR's signiture and indication of preliminary inspection, shall be fowarded to the PCO / ACO and the designated test facility. The envelopes shall be clearly marked, "DO NOT OPEN IN MAILROOM".
- C. Sample(s) may be considered as production items under the contract provided sample(s) can be refurbished to ready For Issue (RFI) condition and provided sample(s) have inspection approval of the cognizant DCMAO. Sample(s) may be shipped as production items only after all other units required under the contract have been produced and are ready for shipment.
- D. Sample(s) will be returned to the contractor.
- E. The designated test facility and the contracting officer shall be notified as to all shipping data applicable to the sample(s), such as bill of lading number, method of shipment, etc...14 days prior to shipping.

## C-331 PRODUCTION LOT TESTING (GOVERNMENT TESTING)

#### A. The Production Lot Samples shall be:

1. Selected at random by the cognizant government QAR. Such sample(s) shall be submitted via the cognizant government inspector, all transportation charges prepaid by the contractor to:

NAVANDEPOT CHERRY POINT Attn: Betty Lupton, code 6.3.674 PSC Box 8021 MCAS Cherry Point, NC 28533

2. The samples shall be identified by contract number, lot number, and be clearly marked as follows:

PRODUCTION LOT TEST SAMPLES NOT R.F.I. MATERIAL DO NOT TAKE UP IN STOCK

- B. Such samples shall be delivered to the testing facility in sufficient time prior to the delivery date of the production articles to allow a 60 day period for testing and written notification by the contracting officer of the approval or disapproval of the samples. Within 90 days of the reciept of the samples, the testing facility shall notify contracting officer, PCO/ACO of the results of the testing, together with the recommendation for approval or disapproval.
- C. In the event the contractor does not recieve written notification of approval or disapproal of the samples for a particular lot within 60 days from their submission for such testing, the contract delievery schedle shall be equitably adjusted as necessary.
- D. If the contractor fails to deliver any Production Lot Samples for testing within the time or times specified, or if the contracting officer disapproves any Production Lot Samples, the contractor shall be deemed to have failed to make delievery within the meaning of the default clause of this contract, and this contract shall be subject to termination for default.
- E. In order for a Production Lot to be acceptable, all samples representative of the lot must pass all the contract requirements. In the event a sample fails to pass such requirements, the lot will be rejected. In such event, the government may, at its option and at no additional cost to the government, (I) terminate all or any porition of this contract for default, (II) require the manufacture of a new Production Lot, or a rework of the rejected Production Lot if the means and procedures by the contractor for rework are acceptable to the government, or (III) require the submission of additional samples for test. The foregoing procedures shall apply to new or reworked Production Lots in the same way as they did to the original Production Lot.

- F. For each additional sample or each resubmission of a modified sample which the contractor is required to submit for approval hereunder as a result of a failure of a previos sample to conformto the requirements of the specification, the contractor shall pay to the government the costs of reinspection, examination and retesting and the contractor and his sureties (if any) shall be liable for the amount of such costs.
- G. Nothing contained in the foregoing provisions of this clause. and no action of the government in accordance herewith, shall in any way prejudice the right of the government under the clause of this contract entitled Default.

FORM APPROVED OMB NO. 0704-0188

PUBLIC REPORTING BURDEN FOR THIS COLLECTION OF INFORMATION IS ESTIMATED TO AVERAGE 440 HOURS PER RESPONSE, INCLUDING THE TIME FOR REVIEWING INSTRUCTIONS, SEARCHING EXISTING DATA SOURCES., GATHERING AND MAINTAINING THE DATA NEEDED AND COMPLETING AND REVIEWING THE COLLECTION OF INFORMATION. SEND COMMENTS REGARDING THIS BURDEN ESTIMATE OR ANY OTHER ASPECT OF THIS COLLECTION OF INFORMATION, INCLUDING SUGGESTIONS FOR REDUCING THIS BURDEN TO DEPT. OF DEFENSE, WASHINGTON HEADQUARTERS SERVICES, DIRECTORATE FOR INFORMATION OPERATIONS AND REPORTS, 1215 JEFFERSON DAVIS HWY., SUITE 1204, ARLINGTON, VA. 22202-4302, AND TO THE OFFICE OF MANAGEMENT AND BUDJET, PAPERWORK REDUCTION PROJECT (0704-0188), WASH. DC 20503. PLEASE DO NOT RETURN YOUR FORM TO EITHER OF THESE ADDRESSES. SEND COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT / PR NO. LISTED IN BLOCK E.

A. CONTRACT LINE ITEM NO.		B. EXH	B. EXHIBIT		C. CATEGO	ORY:								
					TDP	TM		OTHER						
D. SYSTEM/IT	E. C	ONTRA	CT/ PR. NO.	•		F. CON	TRACTOR		,					
9G	1650 00-488-1181													
1.DATA ITEM 2. TITLE OF DATA ITEM								TITLE						
NO. 3		REQ	UEST F	OR WAIVER	₹									
4. AUTHORITY (Data acquisition document 5. CONTRACT REFERENCE								EQUIRING OFFICE						
No.) DI-CMAN-80640B							]	DEFENSE SUPPLY CENTER RICHMOND						
7. DD 250 REQ	9. DIST	10. FREQU	ENCY	12. DATE OF	F FIRST SUB	MISSION	14.	DISTRIBUT	ION	**				
LT	STATEMENT REQUIRED	AS RE	Q						b. COPIES					
8. APP CODE	REQUIRED	11. AS OF I	DATE 1	13. DATE OF	SUBSEQUENT	SUBMISSION	a.	a. ADDRESSEE	Draft	F	inal			
										Reg	Repro			
16. REMARKS					"			DCMC / ACO	1	1/0				
								DCMC / QAR		1/0				
								PCO		1/0				
									_					
							15.	TOTAL		3/0				
1.DATA ITEM	2. TITLE OF DATA	. ITEM					3. SUB	TITLE						
NO. 4		REQUI	EST FO	R DEVIATIO	ON									
	(Data acquisition docum	nent 5. Co	ONTRA	CT REFEREN	ICE		6. R	EQUIRING OFFICE						
No.)	I-CMAN-80641B							DEFENSE SUPPLY CE	NTER I	RICHN	IOND			
7. DD 250 REQ		10. FREQU	ENCY	12. DATE O	F FIRST SUE	MISSION	14. DISTRIBUTION							
LT	STATEMENT	AS RE							b.	COPIE	S			
8. APP CODE	REQUIRED	11. AS OF I		13. DATE OF	SUBSEQUENT	SUBMISSION	—  a.	ADDRESSEE	Draft		inal			
											Repro			
16. REMARKS								DCMC / ACO	<u> </u>	1/0	•			
								DCMC / QAR		1/0				
								PCO		1/0				
									-		<b>_</b>			
									-					
							-		+					
									+					
									1					
									1					
							15.	TOTAL		3/0				
G. PREPARED		H. DATE I. APPROVED BY					J. DATE							
John	r D. Leighty		1				Leigh	ity pg 2 of 3	y 3					

#### **QUALITY ASSURANCE PROVISIONS**

#### **C-321: SPECIFICATION**

NSN: 9G 1650 00-488-1181 P/N: (78286) 65652-11202-041

NOMEN: Housing Assembly Tandem Servo Main Rotor.

Articles to be furnished hereunder shall be manufactured, tested and inspected in accordance with drawing number (78286) 65652-11202-041 Rev. "V", or latest revision and all details and specifications referenced therein.

## I. Quality/Inspection Requirements

- A. MIL-I-45208or ISO 9000 equivelent applies:
- B. First Article Testing applies:
- C. Mandatory Inspection applies: Refer to contract section C.
- D. Production Lot Testing Applies

#### II. Supplemental Requirements

- A. Additionally, para. 3.1-3.5, 5.1-5.2, 6.1-6.2 of MIL-Q-9858 or Iso 9000 equivelent apply.
- B. The contractor shall identify on the process/operation sheets all manufacturing sources performing processes/operations outside of their facilities. These sheets shall not be revised or altered after the successful completion of First Articleand/or Production Lot Testing without approval from the Engineering Support Activity (ESA), via the PCO.
- C. The Inspection Method Sheets which list the characteristics of each item produced under the contract shall have serial number traceability to the raw material, casting, or forging. In addition, the contractor is responsible for providing completed inspection method sheets showing the actual dimensions taken
- D. Markings should be in accordance with MIL-STD-130 Rev. "J" paragraph 5.3.3(a), (b),(c), and (g). Method and location shall be in accordance with the drawing.

#### III. Mandatory Inspection Requirements

During production, mandatory inspection is required to be accomplished by the contractor, as follows:

## A. Level of Inspection (LOI):

- 1) Critical Characteristics: 100% inspection shall apply.
- 2) Major and Minor Characteristics LOI shall be in accordance with a sampling plan acceptable to the QAR.
- B. Critical Characteristics:

#### DRAWING 65652-11202 REV. "V"

#### 1) **Zone B7**

This dia. 2.4930/2.4935 is to be maintained concentric to datum -J- within .001 T.I.R.

#### 2) **Zone B6**

This dia. 1.906/1.908 is to be maintained concentric to datum -J- within .001 T.I.R.

#### 3) **Zone B9**

.This dia. 3.2470/3.2475 is to be maintained concentric to datum -J- within .001 T.I.R. and have a surface texture of 16 microinch.

#### 4) Zone H8

This surface is to be maintained perpendicular to gatum -G- within .002

#### 5) Zone G8

This surface is to be maintained perpendicular to datum -J- wthin .002

#### 6) **Zone B10**

Datum -J- 2.751/2.752 dia. (before plating) 2.745/2.747 dia. (after plating and final machining) and have a surface texture of 16 microinch.

7) All threads specified to class 3 or greater

#### C. Major and Minor Characteristics:

- 1) Shall be defined by the contractor subject to QAR concurrence, unless defined on applicable drawings and associated specifications.
- IV. Unless expressly provided for elsewhere in this Clause, equipment such as fixtures, jigs, dies, patterns, templates, mylars, special tooling, test equipment, or any other manufacturing aid required for the manufacture and/or testing of the subject items will not be provided by the Government or any other source and is the sole responsibility of the Government or any other source and is the sole responsibility of the contractor. The foregoing applies notwithstanding any reference to such equipment or the furnishing thereof that may be contained in any drawing.

#### Public reporting burden for this collection of information is estimated to average 110 hours pe response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. Please DO NOT RETURN your form to either of these addressess. Send completed form to the Government Issuing Contracting Officer of the Contract/PR No. listed in Block E. A. CONTRACT LINE ITEM NO. B. EXHIBIT C. CATEGORY: **OTHER** TOP TM D. SYSTEM/ITEM E. CONTRACT/PR F. CONTRACTOR 9G 1650 00-488-1181 3. SUBTITLE 1. DATA ITEM 2. TITLE OF DATA ITEM 5 CERTIFICATION DATA / REPORTS 4. AUTHORITY (Data Acquisition | 5. CONTRACT REFERENCE 6. REQUIRING OFFICE **DEFENSE SUPPLY CENTER RICHMOND** DI-MISC-80678/T3 7. DD 250 REQ 10. FREQUENCY DISTRIBUTION 9. DIST 12. DATE OF FIRST 14. SUBMISSION b. COPIES LT AS REQ **SEE BLOCK 16\*** STATEMENT REQUIRED 8. APP CODE 11. AS OF DATE Final 13. DATE IF a. ADDRESSEE Draft SUBSEQUENT AS REQ SEE BLOCK 16\* Reg | Repro 1/0 PARA. 10.1,10.2,10.2.1,10.2.2,10.2.4,10.5 APPLY DCMC / ACO DCMC / QAR 1/0 BLOCK#12 -UPON SUBMITTAL OF FIRST ARTICLE SAMPLE (S) PCO 1/0 AND/OR PRODUCTION LOT SAMPLE. BLOCK #3-SEPERATE REPORTS SHALL BE PROVIDED FOR THE BELOW LISTED SUB TITLES. CERTIFICATION REPORTS FOR PRIME PROCESS AND MATERIAL SPECIFICATIONS SHALL INCLUDE CERTIFICATION THAT ALL VENDORS PREFORMING THESE PROCESSES ARE PRIME (OEM) (78286)Sikorsky Aircraft APPROVED SOURCES. BLOCK #5 - CONTRACT REFERENCE: P/N:65652-11202-041 Material4340 per AMS 6415 & Mil-F-7190 forging 65652-11202-001 cycle annealed per SS 8023 Shot peen per note #3 IAW AMS-S-13165 Bonding of name plates per SS 8642 Cadimum plate per QQ-P-416 Chrome Plate per QQ-C-320B(4) Black Oxide per Mil-C-13924C(1) These certifications are required at First Article Testing or contract completion if testing is waived.

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved

OMB No. 0704-0188

17 PRICE GROUP

ESTIMATED TOTAL PRICE

3/0

J. DATE

H. DATE

I. APPROVED BY

John. D. Leighty pg 3 of 3

G. PREPARED BY

John. D. Leighty

FORM APPROVED OMB NO. 0704-0188

PUBLIC REPORTING BURDEN FOR THIS COLLECTION OF INFORMATION IS ESTIMATED TO AVERAGE 440 HOURS PER RESPONSE, INCLUDING THE TIME FOR REVIEWING INSTRUCTIONS, SEARCHING EXISTING DATA SOURCES., GATHERING AND MAINTAINING THE DATA NEEDED AND COMPLETING AND REVIEWING THE COLLECTION OF INFORMATION. SEND COMMENTS REGARDING THIS BURDEN ESTIMATE OR ANY OTHER ASPECT OF THIS COLLECTION OF INFORMATION, INCLUDING SUGGESTIONS FOR REDUCING THIS BURDEN TO DEPT. OF DEFENSE, WASHINGTON HEADQUARTERS SERVICES, DIRECTORATE FOR INFORMATION OPERATIONS AND REPORTS, 1215 JEFFERSON DAVIS HWY., SUITE 1204, ARLINGTON, VA. 22202-4302, AND TO THE OFFICE OF MANAGEMENT AND BUDJET, PAPERWORK REDUCTION PROJECT (0704-0188), WASH. DC 20503. PLEASE DO NOT RETURN YOUR FORM TO EITHER OF THESE ADDRESSES. SEND COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT / PR NO. LISTED IN BLOCK E.

A. CONTRACT LINE ITEM NO.		B. EX	B. EXHIBIT		C. CATEGORY:								
					TDP TM	M	OTHER						
D. SYSTEM/ITEM   F			E. CONTRACT/ PR. NO.					F. CONTRACTOR					
9G 1650 00-488-1181													
1.DATA ITEM	2. TITLE OF DATA	ITEM	<del></del>			3	. SUB	FITLE					
NO.			N DATE A DED	ODT			COMPLETE PROCES	C OD C	прртс				
1				N DATA REP			le D		o Or a		<b>,</b>		
4. AUTHORITY No.)	(Data acquisition docum	nent 5.	CONTRAC	CT REFEREN	CE		6. K	EQUIRING OFFICE					
	MISC-80678/T1						DEFENSE SUPPLY CENTER RICHMOND						
7. DD 250 REQ		10. FREQ	UENCY	UENCY 12. DATE OF FIRST SUBMISSION			14.	DISTRIBUTI	ON				
ŁT	STATEMENT REQUIRED	AS F	REQ		SEE BLOCK #16				b.	COPIE	S		
8. APP CODE	REQUIRED	11. AS OF	DATE	13. DATE OF	SUBSEQUENT SUBMISSION	ON	a.	ADDRESSEE	Draft	F	inal		
A		AS F	ΣFΩ	SEE BLOCK #15						Reg	Repro		
16. REMARKS		AST			DECERTIFICATION OF THE PROPERTY OF THE PROPERT			DCMC / ACO	*	1/0	repre		
	0.0 10.0 1 10.0 2 10.0	4 10 2 5 6	TTATT AT	nni W				DCMC / ACO	-	1,0			
	0.2, 10.2.1, 10.2.2, 10.2. ISSION OF FIRST ART				SAMPLE (s)			DOMO / OAB	**	1/0			
** IF PROCESS	OPERATION SHEETS							DCMC / QAR		1/0			
FAT/ PLT.								PCO		1/0			
										<u> </u>			
										<u>.</u>			
					,			TOTAL		3/0			
1.DATA ITEM NO.	2. TITLE OF DATA	ITEM				3	s. SUB	TITLE					
NO.													
2				N DATA REP			COMPLETE INSPECTION METHOD SHEETS						
4. AUTHORITY No.)	(Data acquisition docum	nent 5. 6	CONTRA	CT REFEREN	CE		6. REQUIRING OFFICE						
,	-MISC-80678/T2						DEFENSE SUPPLY CENTER RICHMOND						
7. DD 250 REQ	9. DIST	10. FREQ	UENCY 12. DATE OF FIRST SUBMISSION				14. DISTRIBUTION						
LT	STATEMENT	AS I	REQ	SEE BLOCK #16					b. COPIES				
8. APP CODE	REQUIRED	11. AS OF	F DATE	13. DATE OF S	SUBSEQUENT SUBMISSIO	ON	a.	ADDRESSEE	Draft	F	inal		
A		AS I		1	SEE BLOCK #1`6					Reg	Repro		
16. REMARKS	J	1		L				DCMC / ACO	*	1/0			
	2, 10.2.1, 10.2.2, 10.2.4,												
	SSION OF FIRST ART CONTRACT COMPLE		DDUCTIO	N LOT TEST	SAMPLE (s)			DCMC / QAR	**	1/0			
AT TIME OF	CONTRACT COMPLE	TION.						PCO		1/0			
										ļ	ļ		
										<b> </b>			
										<b></b>			
									-				
							15	TOTAL	-				
G. PREPARED BY H. DATE					I. APPROVED BY								
				John D. L				4. 4.1.19					
John D. Leighty					youn L	U, 1	eign	ty pg 1 of 3					

FORM APPROVED OMB NO. 0704-0188

PUBLIC REPORTING BURDEN FOR THIS COLLECTION OF INFORMATION IS ESTIMATED TO AVERAGE 440 HOURS PER RESPONSE, INCLUDING THE TIME FOR REVIEWING INSTRUCTIONS, SEARCHING EXISTING DATA SOURCES., GATHERING AND MAINTAINING THE DATA NEEDED AND COMPLETING AND REVIEWING THE COLLECTION OF INFORMATION. SEND COMMENTS REGARDING THIS BURDEN ESTIMATE OR ANY OTHER ASPECT OF THIS COLLECTION OF INFORMATION, INCLUDING SUGGESTIONS FOR REDUCING THIS BURDEN TO DEPT. OF DEFENSE, WASHINGTON HEADQUARTERS SERVICES, DIRECTORATE FOR INFORMATION OPERATIONS AND REPORTS, 1215 JEFFERSON DAVIS HWY., SUITE 1204, ARLINGTON, VA. 22202-4302, AND TO THE OFFICE OF MANAGEMENT AND BUDJET, PAPERWORK REDUCTION PROJECT (0704-0188), WASH. DC 20503. PLEASE DO NOT RETURN YOUR FORM TO EITHER OF THESE ADDRESSES. SEND COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT / PR NO. LISTED IN BLOCK E.

A. CONTRACT LINE ITEM NO.		B. EXHIB	IT	C. CATEGORY:							
				TDP TM		OTHER					
D. SYSTEM/II	EM	E. CON	TRACT/ PR. NO		F. CO	NTRACTOR					
9 <b>G</b>	1650 00-488-1181										
1.DATA ITEM 2. TITLE OF DATA ITEM 3.						. SUBTITLE					
NO.			COMPLETE PROCESS OP SHEETS								
4. AUTHORITY	(Data acquisition docum	ent 5. CON	TRACT REFEREN	ICE	6.	REQUIRING OFFICE					
No.) DI-	MISC-80678/T1					DEFENSE SUPPLY CENTER RICHMOND					
7. DD 250 REQ		10 FRECUEN	CV 12 DATE O	F FIRST SUBMISSION	14	14. DISTRIBUTION					
LT	STATEMENT 3	`		SEE BLOCK #16			b. COPIES				
	REQUIRED	AS REQ				ADDREGGE		<del>,</del>			
8. APP CODE		11. AS OF DA	IE 13. DATE OF	SUBSEQUENT SUBMISSION	, a.	ADDRESSEE	Draft	r	inal		
A		AS REQ		SEE BLOCK #15				Reg	Repro		
16. REMARKS			*-			DCMC / ACO	*	1/0			
	0.2, 10.2.1, 10.2.2, 10.2.			0.13 CDV TO ( )							
	ISSION OF FIRST ART OPERATION SHEETS			` '		DCMC / QAR	**	1/0			
FAT/ PLT.	ormanion one in		DR BCCCLOOT CL	COMPLETION OF		PCO		1/0			
						· · · · · · · · · · · · · · · · · · ·		1			
<b>\</b>					-			<del> </del>	<u> </u>		
, 1					-			+-			
	•						<b>-</b>	<del> </del>			
					-						
					-	· · · · · · · · · · · · · · · · · · ·		<u> </u>	ļ		
					-		<del> </del>	<del>                                     </del>			
					-			<del>                                     </del>	<del> </del>		
•					15.	TOTAL	ľ	3/0			
I.DATA ITEM	2. TITLE OF DATA	ITEM			3. SUI	BTITLE	<u> </u>	<u>I</u>			
NO.											
2		CERTIFICA	TION DATA REP	ORT	СО	COMPLETE INSPECTION METHOD SHEETS					
4. AUTHORITY	(Data acquisition docum	ent 5. CON	TRACT REFEREN	CE	6. 1	6. REQUIRING OFFICE					
No.)	MISC-80678/T2					PRESENTED CLIMBARY CONT.	eren i	NI COTTA	(OND)		
7. DD 250 REQ		10 EDECTION	CV 12 DATE OF	F FIRST SUBMISSION	14.	DISTRIBUTIO		dCHM	UND		
LT	STATEMENT	•			14.				DIEC		
	REQUIRED	AS REQ		SEE BLOCK #16			Draft	COPIES			
A APP CODE  A		11. AS OF DAT AS REQ	!	SUBSEQUENT SUBMISSION SEE BLOCK #1`6	a.	a. ADDRESSEE			inal		
16. REMARKS		AS REQ		SEE BLUCK #1 6		DCMC / ACO	*	Reg	Repro		
	2, 10.2.1, 10.2.2, 10.2.4,	10.5 SHALL AF	PPLY		-	DCMC / ACO		170			
UPON SUBMI	SSION OF FIRST ARTI	CLE / PRODUC	TION LOT TEST	SAMPLE (s)	-	DCMC / QAR	**	1/0			
* AT TIME OF	CONTRACT COMPLET	TION.			-	PCO	-	1/0			
								<del>                                     </del>			
						*****					
	•										
			,								
					ļ						
2 DDEDARED T	37	10.	D.A.MID	T. 4 P.P.P. 0	15.	TOTAL					
G. PREPARED E	•					, <u> </u>	J. DA	ΙE			
John	D. Leighty			John D.	Leigh	ty pg 1 of 2					

Form Approved OMB No. 0704-0188

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

Public reporting burden for this collection of information is estimated to average 110 hours pe response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. Please DO NOT RETURN your form to either of these addressess.

Send completed form to the Government Issuing Contracting Officer of the Contract/PR No. listed in Block E.

A. CONTRAC	NO.	B. EXHIBIT		C. CATEGO	ORY:									
						TOD		am r						
D CXCCTTL (III				TOP		TM	OTHER	· ···						
D. SYSTEM/I			E.	E. CONTRACT/PR F. CO			ONTRACTOR							
9G 1650 00-488-1181									•					
1. DATA ITEN	A 2. TITLE	OF D	JBTTTLE											
3	CERTIFIC	CATI												
	W (Data Associa	:4: [	C PROLEDBIG OF	TTOE										
4. AUTHORIT DI-MISC-8067	` _	uon	5. CONTRA	CIKI	EFEREN	CE		6. REQUIRING OFFICE  DEFENSE SUPPLY CENTER RICHMOND						
D1-MISC-9007	5/13							DELEGISE SOLLET CENTER RICHMOND						
7. DD 250 REQ	9. DIST	10.	FREQUENC	Y	1	ATE OF FIRE	ST	14.	DISTR	BUTIO	N			
l · ·	STATEMENT		REQ		SEE BLOCK 16*				b. COPIES					
8. APP CODE	REQUIRED	11.	AS OF DATE	,	13. DATE IF			a. ADDRESSEE			Final			
$ _{\mathbf{A}}$		AS	REQ		SUBSEQUENT SEE BLOCK 16*				Draft	Reg	Repro			
PARA. 10.1,10.2	2 10 2 1 10 2 2 1	<u> </u>		<del></del>				DCMC / ACO			FI			
FARA. 10.1,10	2,10.2.1,10.2.2,1	10.2.4	,10.5 AFFLI					DCMC / QAR	*	1/0	-			
BLOCK#12 -UP	ON SUBMITT	AL O	F FIRST ART	ICLE	SAMPL	E (S)		PCO PCO	**	1/0				
t .	UCTION LOT					_ (_)		100		170	<del>                                     </del>			
I											+			
BLOCK #3-SEP										ļ	<del>                                     </del>			
BELOW LISTE										ļ	<del>  </del>			
PROCESS AND														
CERTIFICATIO							SES							
ARE PRIME (O	EM) (/8286)SI	Korsk	y Aircraft API	'KOV.	ED SOU	RCES.								
BLOCK #5 - CC	NTRACT PEF	EDEN	ICE: DAI:6565	2 112	02 041									
Material4340 pe						001 cycle ann	ealed							
per SS 8023						oor oyoto aan								
Shot peen per no			3165											
Bonding of name		642												
Cadimum plate p											<u> </u>			
Chrome Plate per Black Oxide per														
Diack Oxide per	WIII-C-13924C	(1)												
These certification	ons are required	at Fir	st Article Testi	ing or	contract	completion if	testing							
is waived.														
											-			
									<del></del>					
											<b></b>			
						<del></del>								
			•								<b></b>			
•														
C PREPARED BY										3/0				
G. PREPARED B			H. DA	I.F	]	I. APPROVEI			J. DATI	E ,				
90	hn.D. Leight	4				Joh	n.D	. Leighty pg & of L						